# UNDERSTANDING HEPATITIS B

Hepatitis means inflammation of the liver. The inflammation can be caused by a virus, alcohol, or drugs. The liver may suffer damage and lose its ability to perform many important functions such as storing energy for the body, removing poisons from the blood, producing bile for digestion, and breaking down protein, fats, and carbohydrates.

There are several viruses that can cause hepatitis —types A, B, C, D and E. Hepatitis B is caused by the type B virus and is generally the most serious form of the disease. In some patients, Hepatitis B infection can develop into cirrhosis (scarring of liver tissue) or cancer of the liver.

#### How is Hepatitis B transmitted?

The virus is present in the blood and bodily fluids (semen, vaginal secretions, saliva, sweat, tears, and breast milk) of the infected person. It can only be spread by contact with the infected blood or bodily fluids in the following ways:

- Sexual contact
- Mother to baby during delivery
- Open wounds or breaks in skin
- Use of unsterilized needles (acupuncture, tattooing, ear-piercing, and I.V drug abuse)
- Sharing of razors, toothbrushes, nail files/clippers, scissors, or other personal items that are contaminated with infected blood

Not everyone will have the same symptoms or problems after being exposed to Hepatitis B. You may or may not become infected. You may have symptoms and recover; or you may be symptom-free at first but develop problems with your liver later. In some cases, you may become a "chronic" or long-term carrier of the disease.

#### What is a Hepatitis B carrier?

A carrier is a person who has
Hepatitis B virus in his or her
blood even after all symptoms
have disappeared. A carrier
can spread the disease to
another person. A carrier may
or may not have symptoms.
In many cases, if carriers do not
know that they are carriers of the virus, th
be more dangerous to others, because the

know that they are carriers of the virus, they can be more dangerous to others, because the disease is transmitted silently. The Hepatitis B carrier can be identified by a simple specific blood test called the hepatitis B surface antigen (HBsAg) test.

## What are the symptoms of Hepatitis B?

Symptoms may be mild or absent. They may appear several weeks to months after exposure. Common symptoms include:

- Fatigue
- Loss of appetite
- Mild fever
- Abdominal pain
- Diarrhea
- Muscle or joint pains
- Nausea
- Dark urine
- Vomiting
- Skin rashes
- Jaundice (yellowish skin and eyes)

#### **Treatment for Hepatitis B**

Several medications are available to treat persons with chronic Hepatitis B. They are given as pills or injections. Avoid alcohol and certain drugs that may be harmful to your liver.

### **Prevention of Hepatitis B**

Avoid contact with infected blood or bodily fluids:

- Wash hands thoroughly after contact with contaminated items
- Wear condoms during sexual contact
- Do not share razors, toothbrushes, needles, scissors, nail files, or contaminated personal items
- Cover cuts and wounds with bandages
- Be vaccinated against Hepatitis B. This is recommended for all newborns, children, and persons who are at risk. Vaccination is safe; you cannot get Hepatitis B from the vaccine. Possible side effects from vaccination include soreness at the injection site and mild fever.

#### Who should be vaccinated?

- Persons born or raised in countries where Hepatitis B infection is common, e.g., China, Southeast Asia, Africa
- Persons in close contact with a chronic carrier
- All newborns
- Persons with multiple sex partners
- Men who have sex with men
- Health care workers
- Patients receiving kidney dialysis, treatment for blood clotting disorders, or acupuncture treatments
- Intravenous drug abusers
- Persons who travel to or live in parts of the world where Hepatitis B is common

# Why should the baby of a carrier mother be vaccinated?

Hepatitis B infection does not affect the mother or baby during pregnancy. However, the hepatitis B virus can be passed on to the baby during delivery. If the mother does not know that she is infected, and the child does not receive Hepatitis B immunization in time, the child could later become a Hepatitis B carrier and could develop serious liver disease: chronic hepatitis, cirrhosis, or liver cancer.

Since 1993, all babies born in the United States are required by law to receive the Hepatitis B vaccination to be fully protected against the disease. Therefore, it is important for all mothers to keep vaccination appointments for their children.

Ask your doctor or visit your local health clinic if you want to know more about Hepatitis B.

For more information: Hepatitis B Foundation www.hepb.org